

Product information- SWAP series



Want an easy way to save energy and automated control of motor, light, AC, heaters and any time control application? Check out our SWAP series product! Learn more about it from page 3 to 5

SWAP

Auto OFF Timers




Cyclic Timers



Automatic level controller & flow detector



SWAP To Save water and power...



E-mail : info@eviqds.com
Website : www.eviqds.com

Contact : +91 9629900110
+91 9443410073



Contents

1. SWAP product codes - 3
2. How to set the time in programmable auto-off timers - 4
3. How to set the cyclic time in programmable cycle timers (On & Off time) - 5

Auto-OFF Timers Product codes 1. SWAP01 2. SWAP01E 3. SWAP02 4. SWAP02E

Cyclic Timers Product codes 1. SWAP03C 2. SWAP03AC 3. SWAP03ACF 4. SWAP03ACF-SA

Automatic level & flow controllers Product codes 1. SWAP04-OL-? 2. SWAP04-OLF 3. SWAP04-C-OL
4. SWAP04-C-OLF 5. SWAP04-SOL 6. SWAP04-C-SOL
7. SWAP04-C-SOFL 8. SWAP04-SMFL 9. SWAP04-OF

Auto Off timers for e-vehicle battery chargers Product codes 1. SWAP05BC

Auto Off timers (time options in seconds) Product codes 1. SWAP06

Settable (Auto-off timers/cyclic timers/counters) Product codes 1. SWAP07E 2. SWAP07CD
3. SWAP07ECY 4. SWAP07ECYH

SWAP

To Save water and power...

To set the time in programmable auto-off timers



*** Once time setting is done simply press the timer Start button whenever you want to run the motor. For any other time just repeat the steps.*

You can use both buttons to achieve your desired value however one button shall be used at a time. And the display can show up to 99minutes /hours, but you can program times beyond this limit.

An illustrative example, to set it to 8, click the "+1" button three times and then click the "+5" button once. To check the time set, watch for a number that stays for 5 seconds while pressing the "+1" and "+5" buttons together.



In case if you went ahead of the required time setting then Just press OFF button and repeat the process.



Step 1

Click the "+1" button to increment by 1 (or)
Hold the "+1" button until the desired value.

Step 2

Click the "+5" button to increment by 5 (or)
Hold the "+5" button until the desired value.

Step 3

Press and hold the "Set" button until the display turns off. If the time is still displayed, Hold the "Set" button again.

Step 4

Press "OFF" button and then "Start" button

To set the cyclic time in programmable cycle timers (On & Off time)



**** Once time setting is done simply press the timer Start button whenever you want to run the motor. For any other time just repeat the steps.**

To find the set on & off time, watch for a number after On blink is on time and Of blink is Off time respectively while pressing the "ON+" and "OFF+" buttons together.

On and Off time shall be set together always. And the display can show up to 99 seconds/ minutes / hours, but you can program times beyond this range as well.



In case if you went ahead of the required time while time setting then Just press OFF button and repeat the process.



Step 1

Click the "ON+" button to set on time.

Step 2

Click the "OFF+" button to set off time.

Step 3

Press and hold the "Set" button until the display turns off. If the display doesn't turned off, then hold the "Set" button again.

Step 4

Press "OFF" button and then "Start" button